Skin of Color – Aesthetic Implications

2021 South Beach Symposium

Seemal R. Desai, MD, FAAD
Clinical Assistant Professor
Department of Dermatology
University of Texas Southwestern Medical Center
Dallas, Texas, USA
Innovative Dermatology, PA

@SeemalRDesaiMD

Disclosures

- I do perform clinical trials and/or consulting for a variety of entities, including Skinceuticals, Pfizer, Incyte, L'Oreal, Galderma, Allergan, AbbVie and others
- I will be discussing off-label uses of medications
- I do serve as a member of the US Food & Drug Administration, PCAC, but my talk represents my personal views and not that of the FDA.

2

1



A new global campaign on social media against colourism - #umfairandlovely
- is challenging the widely-held belief in many parts of the world that fair skin
is the most attention

4

Melasma

Treatment Options

3

- Topical Retinoids & Combination Therapy
- · Azelaic Acid
- Hydroquinone
- Chemical Peels
- Cosmeceuticals
- Lasers
- Dermabrasion
- Reassurance and Time

Do Lasers work in Melasma?

Q-switched Nd:YAG

- · 27 female subjects, phototypes II-V
- · Mixed-type melasma refractory to previous therapies
- Low-fluence QS Nd:YAG laser treatment of 1.6–2 J/cm² with 5 or 6 mm spot was administered immediately following microdermabrasion.

Kauvar et al. Lasers in Surg and Med. 44:117-24 (2012)

Q-switched Nd:YAG

- Daily application of a broad-spectrum sunscreen began immediately
- Subjects used a topical skin care regimen of hydroquinone with tretinoin or vitamin C. Treatments were repeated at 4-week intervals
- I always encourage → PRE-TREATMENT

Kauvar et al. Lasers in Surg and Med. 44:117-24 (2012)

7

9

8



Kauvar et al. Lasers in Surg and Med. 44:117-24 (2012)

Q-switched Nd:YAG

- Most subjects showed >50% clearance of their melasma 1 month after the first treatment.
- Side effects were limited to mild post-treatment erythema, which developed after the microdermabrasion and lasted approximately 30– 60 minutes.
- Four subjects noted temporary exacerbation of melasma after inadvertent sun exposure, but this resolved within several weeks of resuming the topical skin care regime.
- Remission lasted at least 6 months.

Kauvar et al. Lasers in Surg and Med. 44:117-24 (2012)

10

Some of my favorite Chemical Peel cocktails!



- Jessner's + TCA 20% for full face acne scars, especially when not deep boxcar or ice pick
 - · Can do in skin of color
 - · One layer after another
- Salicylic acid 30% and 10%-20% Mandelic for Acne Vulgaris
 - Works great for acne and also rejuvenation
 - Synergy between and alpha and beta hydroxy!
- TCA 10% immediately after microneedling for dark circles
 - Procedure only lasts about 5 minutes
 - Depth of 0.5mm → SHALLOW

11 12

1/22/2021









15 16

Case Study

- 18 yo female new patient
- Presents with oozing, crusting, pain and low grade fever x 3 days
- No significant PMH
- No prominent dermatologic diseases in the past
- No new or recent medications
- Of note, patient has a flat affect



17 18







- Potent antioxidant → indirect inactivation of tyrosinase
 - Assists in converting eumelanin → to phaeomelanin
- · Typically used orally
 - · Also being given IV in Asia.
 - · Still controversial due to bioavailability, but some promising results in studies

Allen J et all. J Altern Complement Med 2011; 17:827-33

22 21



Cosmetic Procedures

- Priming the skin for many aesthetic procedures is important in Skin of Color
- Sunscreen SPF30 should be used along with cosmeceuticals and consider inorganic sunscreens
- All retinoids, including OTC should be stopped 5-7 days prior to any aesthetic treatments, and GET HSV HISTORY!!



23 24

Questions / Comments Seemal R. Desai, MD, FAAD seemald@yahoo.com On Twitter: @SeemalRDesaiMD